



FIXED WALL LIGHTS





LLLS-DOX-122.05.06


ALU BRISHED & GLASS - IP 20 GU10

LLLS-DOX-122.05.19

SILVER GREY (MATT) & GLASS - IP54 G9

▽ IP 20 Alu brushed

▽ IP 54 Silver grey



LLLS-DOX-110.11.06

ALU BRISHED & GLASS - IP 20 G9

LLLS-DOX-110.11.11

MATT CHROME PLATED & GLASS - IP54 G9

LLLS-DOX-110.11.19

SILVER GREY (MATT) & GLASS - IP54 G9


QPAR16 ESS0 7-50W 230V

▽ IP 20 Alu brushed

▽ IP 54 Silver grey



vertex




LLUE-DOX-112.11.06
ALU BRUSHED & GLASS - IP 20 G9
LLLS-DOX-112.11.19
SILVER GREY (MATT) & GLASS - IP54 G9

H-PIN, G9 LAMP 25-40W 230V

▼ IP 20 Alu brushed

▼ IP 54 Silver grey



LLLS-DOX-110.11.06
ALU BRUSHED & GLASS - IP 20 G9
LLLS-DOX-110.11.11
MATT CHROME PLATED & GLASS - IP54 G9
LLLS-DOX-110.11.19
SILVER GREY (MATT) & GLASS - IP54 G9

H-PIN, G9 LAMP 5-40W 230V


▼ IP 20 Alu brushed

▼ IP 54 Silver grey




vertix

glass



LLLS-DOX.117.11.02
H-PIN
IP54 ALU GREY COATED
G9 LAMP
MAX 40W 230V
OPTIONAL BASE PLATE
BOLLARDS ALSO AVAILABLE

 IP 54 Alu brushed



king otto



LL-LTWC1



LL-LTWC4



LL-LTWCU



LL-LTWCUD



LL-LTWU3



LL-LTWE1



LL-LTWE3


316 MARINE GRADE STAINLESS STEEL
12V DC INPUT (REGULATED)
TWO YEAR WARRANTY
CUSTOM LED COLOURS AVAILABLE



IP 68




It range



LLHAV-HV1001
INCLUDES STAINLESS STEEL BACKING PLATE
240V GU10 50W MAX
SUPPLIED WITH 2X35W GLOBES

 IP 66

Tivah long body models can be converted to square look model




LLHAV-HV1002
12V MR16 50W MAX
SUPPLIED WITH 2X20W GLOBES

 IP 66




tivah



LLHAV-HV1003
INCLUDES STAINLESS STEEL BACKING PLATE
12V MR16 2X25W MAX
BUILT IN TRANSFORMER
SUPPLIED WITH 2X20W GLOBES




Tivah long body models can be converted to square look model



LLHAV-HV1004
HIGH OUTPUT REFLECTOR
INCLUDES SS BACKING PLATE
240V GU10 50W MAX
SUPPLIED WITH 2XESPAR 13W GLOBES




tivah



LLHAV-HV1101
INCLUDES STAINLESS STEEL BACKING PLATE
240V GU10 50W MAX
SUPPLIED WITH 1X35W GLOBES
CAN BE USED WITH LED GLOBES




Tivah long body models can be converted to square look model



LLHAV-HV1103
INCLUDES STAINLESS STEEL BACKING PLATE
12V MR16 50W MAX
SUPPLIED WITH 1X20W GLOBES
BUILT IN TRANSFORMER
CAN BE USED WITH LED GLOBES




tivah



LLHAV-HV1102
12V MR16 50W MAX
SUPPLIED WITH 1X35W GLOBES
CAN BE USED WITH LED GLOBES




Tivah long body models can be converted to square look model



LLHAV-HV1104
HIGH OUTPUT REFLECTOR
INCLUDES STAINLESS STEEL BACKING PLATE
240V GU10 50W MAX
SUPPLIED WITH 1X1 3W ESPAR GLOBE
CAN BE USED WITH LED GLOBES




tivah



LLHAV-HV1106
 HIGH OUTPUT REFLECTOR
 INCLUDES STAINLESS STEEL BACKING PLATE
 240V GU10 50W MAX
 SUPPLIED WITH 1X35W GLOBE
 CAN BE USED WITH LED GLOBES OR
 ESPAR 13W ESL




Tivah long body models can be converted to square look model



LLHAV-HV1107
 HIGH OUTPUT REFLECTOR
 INCLUDES STAINLESS STEEL BACKING PLATE
 12V MR16 50W MAX
 SUPPLIED WITH 1X20W GLOBES
 CAN BE USED WITH LED GLOBES




tivah



LLHAV-HV1108
HIGH OUTPUT REFLECTOR
INCLUDES STAINLESS STEEL BACKING PLATE
12V MR16 50W MAX
BUILT IN REPLACEABLE ELECTRONIC TRANSFORMER
SUPPLIED WITH 1X20W GLOBES
CAN BE USED WITH LED GLOBES




Tivah long body models can be converted to square look model



LLHAV-HV1109
SQUARE COVER TO SUIT ALL LONG MODELS
STAINLESS STEEL 316 MARINE GRADE
IP RATING: AS PER TIVAH FITTING INSTALLED






LLHAV-HV1114
HIGH OUTPUT REFLECTOR
SOLID COPPER BODY
INCLUDES BACKING PLATE
240V GU10 50W MAX
SUPPLIED WITH 1X13W GLOBE
CAN BE USED WITH LED GLOBES OR ESPAR 13W ESL




Tivah long body models can be converted to square look model



LLHAV-HV1117
HIGH OUTPUT REFLECTOR
SOLID COPPER BODY INCLUDES BACKING PLATE
12V MR16 50W MAX
SUPPLIED WITH 1X20W GLOBES
CAN BE USED WITH LED GLOBES




tivah



LLHAV-HV1116
HIGH OUTPUT REFLECTOR
SOLID COPPER BODY
INCLUDES BACKING PLATE
240V GU10 50W MAX
SUPPLIED WITH 1X35W GLOBE
CAN BE USED WITH LED GLOBES OR ESPAR 13W ESL



Tivah long body models can be converted to square look model



LLHAV-HV1118
HIGH OUTPUT REFLECTOR
SOLID COPPER BODY
INCLUDES BACKING PLATE
12V MR16 50W MAX
SUPPLIED WITH 1X20W GLOBES
CAN BE USED WITH LED GLOBES



tivah



UP DOWN WALL LIGHT
H 200MM W 110MM Ø 75MM

CUBO DOWN WALL LIGHTS
H 130MM W 110MM Ø 75MM

12V IRC/35W REMOTE TX
240V GU10/35W
240V GU10/PLC 12W
P54, ADJUSTABLE VERSION AVAILABLE
AVAILABLE IN LIGHT GREY, DARK GREY,
WHITE OR BLACK

cubo

	All lighting fixtures bearing this symbol are suitable for installation on normally inflammable surfaces.		Manufactured according to the set safety and electromagnetism standards of Europe
	All lighting fixtures bearing this symbol are unsuitable for installation on normally inflammable surfaces.		Steel
	All light fittings bearing this symbol are Class I models. These light fittings have only basic isolation and therefore must be connected to the earthing system of the residential dwelling.		PVC
	All lighting fixtures bearing this symbol are of Class II. No metal part of Class II fixtures shall be connected to the ground connection of the home installation.		Ballast included
	This symbol indicates the minimum distance to be left between the focus of the lighting fixture and the lighted object.		Ballast needed, but not included.
	Resistance to incandescent wire at 850°C.		Fabric
	Registered models.		Optic glass
	Check availability.		Transformer included.
	Energy saving.		Transformer needed, but not included.
	All light fittings bearing this symbol are protected against water projections.		Zamak
IP 65	Dust-tight lamp, protected against water jets.		Electronic ballast included.
IP 20	Lamp protected against ingress of solid objects greater than 12mm.		PMMA
IP 68	Dust-tight lamp and protected against the effects of prolonged immersion in water and at depth.		Protection against electrical shocks includes other measures based on a very low voltage through a security transformer, without generating higher voltages
IP 54	Lamp protected against ingress of dust and against splashing water.		Class 1.
	.Halo light direction.		Adjustable from 0° to 50° on the horizontal axis.
	Aluminum		Adjustable +180°/-15° on the horizontal axis.
			Adjustable from 0° to 350° on the vertical axis.
			Adjustable +/- 20° on the horizontal axis.

- » All products supplied by Limelight are sourced from third parties.
- » Limelight Illumination refers to their general terms of trade on all orders.
- » The description and dimensions of the items in this catalogue are indicative and may be modified for the purpose of technical or design improvements by the manufacturer.
- » The manufacturer of the listed products reserves the right to cancel or change all models without prior notice.
- » Do not use stronger bulbs than recommended and always clean lamps with a soft dry cloth alone since metal polish will damage protective finish.
- » Please allow 8-10 weeks for orders to be received. Some goods may have shorter despatch times. Please enquire with a sales consultant regarding each individual product.
- » Prices are for product only and based on customer pickups from our showroom. Should you require delivery this is a separate charge.
- » Please request our terms of trade for further information on our operations.

Tel: +61 2 9371 9976

Fax: +61 2 9328 2925

Email: sales@lli.com.au

Web: www.lli.com.au

Address: Studio 5, 716 New South Head Road,
Rose Bay NSW 2029, Australia

Showroom hours: Monday – Friday 9.00am – 5.30pm

contacts